



Honeywell

CEILING FANS SERIES

Iluminaciones Técnicas S.A.
Panama Headquarters 1 (888) 502-8432
Email: info@HoneywellLights-fans.com
www.HoneywellLights-fans.com

©2024 ILUMINACIONES TECNICAS S.A. All rights reserved.
The Honeywell trademark is used under license from Honeywell International Inc.
Honeywell makes no representations or warranties with respect to this product. Manufactured by Iluminaciones Técnicas S.A.

Honeywell

DISCOVER OUR NEW COLLECTION OF CEILING FANS WHERE ELEGANCE MERGES WITH FUNCTIONALITY.



VERONA



AVAILABLE OPTIONS:

HW-F-01-WH	White
HW-F-01-SN	Satin Nickel

SPECIFICATIONS

Watts (High):	48
Size:	32"
Motor Finish:	Metal
Motor Finish:	Iron + Copper (153*130*9 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed:	2600
Airflow (CFM):	1820
RPM (High):	200
Amp (High):	0.401



ADDITIONAL INFORMATION

Blades:	MDF Blades
Blade Pitch :	18°
Installation:	Down Rod Only
Down Rod:	1/2*4"
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes

LIGHT SOURCE

Number of Lamps:	1
Light Bulb Usage:	E27 Base (not included)
Capacitor:	1.5+2.5 F/300V
Control:	Pull chain
Switch Housing Cap:	Included

HOOVER



AVAILABLE OPTIONS:

HW-F-02-BK-220	Black
HW-F-02-WH-220	White

SPECIFICATIONS

Watts (High):	62
Size:	52"
Motor Finish:	Metal
Motor Finish:	Iron + Copper (153*130*15 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed:	4500
Airflow (CFM):	3105
RPM (High):	175
Amp (High):	0.516



ADDITIONAL INFORMATION

Blades:	Plywood Blades
Blade Pitch :	10.5°
Installation:	Down Rod Only
Down Rod:	1/2*6"
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes

LIGHT SOURCE

Number of Lamps:	2
Light Bulb Usage:	E27 Base (not included)
Capacitor:	4.5UF/280V+5+6UF/250V
Control:	Pull chain
Switch Housing Cap:	Included

FULTON



AVAILABLE OPTIONS:

HW-F-03-SN	Satin Nickel
HW-F-03-BN	Brushed Nickel

SPECIFICATIONS

Watts (High):	60.5
Size:	52"
Motor Finish:	Metal
Motor Finish:	Iron + Copper 153*130*16.8 mm

ENERGY INFORMATION

Airflow (CFM) when operated at high speed:	4580
Airflow (CFM):	3204
RPM (High):	198
Amp (High):	0.499



ADDITIONAL INFORMATION

Blades:	Plywood Blades
Blade Pitch :	11°
Installation:	Down Rod Only
Down Rod:	1/2*6"
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes

LIGHT SOURCE

Number of Lamps:	2
Light Bulb Usage:	E27 Base (not included)
Capacitor:	4UF/250V
Control:	Remote Control Included
Switch Housing Cap:	Included

CLANTON



AVAILABLE OPTIONS:


HW-F-04-ORB-220V	Oil Rubbed Bronze
------------------	-------------------

SPECIFICATIONS

Watts (High):	48
Size:	42"
Motor Finish:	Metal
Motor Finish:	Iron + Copper (153*130*10 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed:	3500
Airflow (CFM):	2450
RPM (High):	205
Amp (High):	0.4



ADDITIONAL INFORMATION

Blades:	MDF Blades
Blade Pitch :	12°
Installation:	Down Rod Only
Down Rod:	1/2*6"
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes

LIGHT SOURCE

Number of Lamps:	2
Light Bulb Usage:	E27 Base (not included)
Capacitor:	3.5UF/280V+5+6UF/250V
Control:	Pull chain
Switch Housing Cap:	Included

CALERA



AVAILABLE OPTIONS:

HW-F-05-BNW Brushed Nickel

SPECIFICATIONS

Watts (High): 50W

Size: 52"

Motor Finish: Metal

Motor Finish: Iron + Copper (153*130*15 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 4530

Airflow (CFM): 3170

RPM (High): 170

Amp (High): 0.456



ADDITIONAL INFORMATION

Blades: Plywood Blades

Blade Pitch : 10°

Installation: Down Rod Only

Down Rod: 1/2*4"

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 2

Light Bulb Usage: E27 Base (not included)

Capacitor: 4.5UF/280V+5+6UF/250V

Control: Pull chain

Switch Housing Cap: Included

RENO



AVAILABLE OPTIONS:

HW-F-06-LWSN Satin Nickel

HW-F-06-WH White

HW-F-06-ORB Oil rubbed bronze

SPECIFICATIONS

Watts (High): 60W

Size: 52"

Motor Finish: Metal

Motor Finish: Iron + Copper (153*130*15 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 4580

Airflow (CFM): 3200

RPM (High): 178

Amp (High): 0.514



ADDITIONAL INFORMATION

Blades: Plywood Blades

Blade Pitch : 10.5°

Installation: Down Rod Only

Down Rod: 1/2*4"

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 1

Light Bulb Usage: E27 Base (not included)

Capacitor: 5UF/280V+6+6UF/250V

Control: Pull chain

Switch Housing Cap: Included

LUCCA



AVAILABLE OPTIONS:

HW-F-08-ORB Oil rubbed bronze

SPECIFICATIONS

Watts (High): 50

Size: 42"

Motor Finish: Metal

Motor Finish: Iron + Copper (153*130*12 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 4850

Airflow (CFM): 3388

RPM (High): 200

Amp (High): 0.225



ADDITIONAL INFORMATION

Blades: MDF Blades

Blade Pitch: 12°

Installation: Down Rod Only

Down Rod: 1/2*4"

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 2

Light Bulb Usage: E27 Base (not included)

Capacitor: 1.5UF/450V

Control: Wall Control

Switch Housing Cap: Included

KAEL



AVAILABLE OPTIONS:

HW-F-10-BN Brushed Nickel

SPECIFICATIONS

Watts (High): 62

Size: 52"

Motor Finish: Metal

Motor Finish: Iron + Copper (153*130*15 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 4920

Airflow (CFM): 3440

RPM (High): 170

Amp (High): 0.524



ADDITIONAL INFORMATION

Blades: Plywood Blades

Blade Pitch: 12°

Installation: Down Rod Only

Down Rod: 3/4**6"

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 3

Light Bulb Usage: E27 Base (not included)

Capacitor: 4.5/280V+5+6UF/250V

Control: Pull chain

Switch Housing Cap: Included

ESME



AVAILABLE OPTIONS:

HW-F-14-ORB Oil Rubbed Bronze

SPECIFICATIONS

Watts (High): 60

Size: 52"

Motor Finish: Metal

Motor Finish: Iron + Copper (153*130*15 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 5110

Airflow (CFM): 3577

RPM (High): 175

Amp (High): 0.503



ADDITIONAL INFORMATION

Blades: Plywood Blades

Blade Pitch : 12°

Installation: Down Rod Only

Down Rod: 3/4*6"

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 3

Light Bulb Usage: E27 Base (not included)

Capacitor: 4.5/280V+5+6UF/250V

Control: Pull chain

Switch Housing Cap: Included

CORAL



AVAILABLE OPTIONS:

HW-F-16-BN Brushed Nickel

SPECIFICATIONS

Watts (High): 67

Size: 52"

Motor Finish: Metal

Motor Finish: Iron + Copper 153*130*15mm

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 4950

Airflow (CFM): 3460

RPM (High): 180

Amp (High): 0.396



ADDITIONAL INFORMATION

Blades: Plywood Blades

Blade Pitch : 10°

Installation: Down Rod Only

Down Rod: 1/2*4"

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 3

Light Bulb Usage: E27 Base (not included)

Capacitor: 4.5UF/280V+5+6UF/250V

Control: Pull chain

Switch Housing Cap: Included

JOLIET



AVAILABLE OPTIONS:	
HW-F-17-AB	Antique Brass
SPECIFICATIONS	
Watts (High):	65
Size:	52"
Motor Finish:	Metal
Motor Finish:	Iron + Copper (153*130*15 mm)
ENERGY INFORMATION	
Airflow (CFM) when operated at high speed:	4930
Airflow (CFM):	3452
RPM (High):	182
Amp (High):	0.51



ADDITIONAL INFORMATION	
Blades:	Plywood Blades
Blade Pitch :	10.5°
Installation:	Down Rod Only
Down Rod:	1/2*4"
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes
LIGHT SOURCE	
Number of Lamps:	4
Light Bulb Usage:	E12 Base (not included)
Capacitor:	5+5+6UF/280VUL
Control:	Pull chain
Switch Housing Cap:	Included

PHOENIX



AVAILABLE OPTIONS:	
HW-F25-BR	Brown Finish
SPECIFICATIONS	
Size:	36"
Motor Finish:	Brown Finish
Motor Finish:	153mm *130mm*9mm
ENERGY INFORMATION	
Airflow (CFM) when operated at high speed:	
Airflow (CFM):	2209-3150
RPM (High):	238



ADDITIONAL INFORMATION	
Blades:	MDF Blades
Blade Pitch :	5°
Reverse Airflow:	Yes
LIGHT SOURCE	
Number of Lamps:	3
Light Bulb Usage:	E27 (Not Included)
Voltaje:	120V/60hz
Control:	Pull Chain
Switch Housing Cap:	Included

SKYE



AVAILABLE OPTIONS:


HW-F26-BR

SPECIFICATIONS

Watts (High): 40
 Size: 36"
 Motor Finish: Metal
 Motor Finish: Iron + Copper (153*130*9 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 3300
 Airflow (CFM): 2310
 RPM (High): 270
 Amp (High): 0.34



ADDITIONAL INFORMATION

Blades: MDF Blades
 Blade Pitch : 10°
 Installation: Hugger
 Down Rod: No
 Max Ceiling Angle: 18°
 Lead Wire: 20"
 Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 2
 Light Bulb Usage: E27 Base (not included)
 Capacitor: 1.5+25.UF/250V
 Control: Pull chain
 Switch Housing Cap: Included

AURORA



AVAILABLE OPTIONS:

HW-F32-SN Satin Nickel

SPECIFICATIONS

Watts (High): 57
 Size: 44"
 Motor Finish: Metal
 Motor Finish: Iron + Copper (153*130*10.2mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 3890
 Airflow (CFM): 2720
 RPM (High): 215
 Amp (High): 0.48



ADDITIONAL INFORMATION

Blades: MDF Blades
 Blade Pitch : 11°
 Installation: Down Rod Only
 Down Rod: 3/4"*4"
 Max Ceiling Angle: 18°
 Lead Wire: 20"
 Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 4
 Light Bulb Usage: E27 Base (not included)
 Capacitor: 4.5UF/280V+5+6UF/250
 Control: Pull chain
 Switch Housing Cap: Included

SIERRA



AVAILABLE OPTIONS:	
HW-F33-BN	Brushed Nickel
SPECIFICATIONS	
Watts (High):	45
Size:	42"
Motor Finish:	Metal
Motor Finish:	Iron + Copper (153*130*10mm)
ENERGY INFORMATION	
Airflow (CFM) when operated at high speed:	4050
Airflow (CFM):	2835
RPM (High):	188
Amp (High):	0.38



ADDITIONAL INFORMATION	
Blades:	MDF Blades
Blade Pitch :	12°
Installation:	Hugger
Down Rod:	No
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes
LIGHT SOURCE	
Number of Lamps:	2
Light Bulb Usage:	E27 Base (not included)
Capacitor:	4/280V+5+6UF/250V
Control:	Pull chain
Switch Housing Cap:	Included

COVE



AVAILABLE OPTIONS:	
HW-F37-WH	White
SPECIFICATIONS	
Watts (High):	44
Size:	42"
Motor Finish:	Metal
Motor Finish:	Iron + Copper (153*130*9mm)
ENERGY INFORMATION	
Airflow (CFM) when operated at high speed:	3221
Airflow (CFM):	2252
RPM (High):	210
Amp (High):	0.37



ADDITIONAL INFORMATION	
Blades:	MDF Blades
Blade Pitch :	10.5°
Installation:	Hugger
Down Rod:	No
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes
LIGHT SOURCE	
Number of Lamps:	1
Light Bulb Usage:	E27 Base (not included)
Capacitor:	1.5+2.5UF/250V
Control:	Pull chain
Switch Housing Cap:	Included

FAYE



AVAILABLE OPTIONS:

HW-F38-WH White

SPECIFICATIONS

Watts (High): 44

Size: 30"

Motor Finish: Metal

Motor Finish: Iron + Copper (153*130*7.8mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 3322

Airflow (CFM): 2325

RPM (High): 230

Amp (High): 0.37



ADDITIONAL INFORMATION

Blades: MDF Blades

Blade Pitch: 18°

Installation: Hugger

Down Rod: No

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 1

Light Bulb Usage: E27 Base (not included)

Capacitor: 1.5+2.5UF/250V

Control: Pull chain

Switch Housing Cap: Included

FAYETTE



AVAILABLE OPTIONS:

HW-F-39-BK Black

SPECIFICATIONS

Size: 52"

Lamp Shade: Pdma



ADDITIONAL INFORMATION

Blades: Plywood

Blade Pitch: 4°

LIGHT SOURCE

Source: LED 15W

CCT: 3000K/4000K/6500K

Control: Remote Control Included

Switch Housing Cap: Included

FREYA



AVAILABLE OPTIONS:	
HW-F40-BN	Brushed Nickel
SPECIFICATIONS	
Watts (High):	50
Size:	52"
Motor Finish:	Metal
Motor Finish:	Iron + Copper (153*130*15mm)
ENERGY INFORMATION	
Airflow (CFM) when operated at high speed:	4672
Airflow (CFM):	3250
RPM (High):	175
Amp (High):	0.424

ELIO



AVAILABLE OPTIONS:	
HW-F41-SL	Silver
HW-F41-BK	Black
SPECIFICATIONS	
Watts (High):	54
Size:	42"
Motor Finish:	Metal
Motor Finish:	Iron + Copper (153*130*18mm)
ENERGY INFORMATION	
Airflow (CFM) when operated at high speed:	4688
Airflow (CFM):	3281
RPM (High):	288
Amp (High):	0.45



ADDITIONAL INFORMATION	
Blades:	Plywood Blades
Blade Pitch :	12°
Installation:	Down Rod Only
Down Rod:	1/2*6"
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes
LIGHT SOURCE	
Number of Lamps:	1
Light Bulb Usage:	E27 Base (not included)
Capacitor:	3.65UF/300V
Control:	Remote Control
Switch Housing Cap:	Included



ADDITIONAL INFORMATION	
Blades:	ABS Blades
Blade Pitch :	No
Installation:	Down Rod Only
Down Rod:	1/2*9"
Max Ceiling Angle:	18°
Lead Wire:	20"
Reverse Airflow:	Yes
LIGHT SOURCE	
Number of Lamps:	2
Light Bulb Usage:	E27 Base (not included)
Capacitor:	4UF/300V
Control:	Remote Control or Wall Control
Switch Housing Cap:	Included

CAIRO



AVAILABLE OPTIONS:

HW-F43-BN Brushed Nickel

HW-F43-BR Brown

HW-F43-WH White

SPECIFICATIONS

Watts (High): 76

Size: 52"

Motor Finish: Metal

Motor Finish: Iron + Copper (188*161*14 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 4925

Airflow (CFM): 3450

RPM (High): 168

Amp (High): 0.63



ADDITIONAL INFORMATION

Blades: Plywood Blades

Blade Pitch: 13°

Installation: Down Rod Only

Down Rod: 1/2"*6"

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: Yes

LIGHT SOURCE

Number of Lamps: 2

Light Bulb Usage: E27 Base (not included)

Capacitor: 5UF/300V

Control: Wall Control or Remote Control

Switch Housing Cap: Included

JASPER



AVAILABLE OPTIONS:

HW-F-49-WH White

HW-F-49-BK Black

SPECIFICATIONS

Watts (High): 58

Size: 56"

Motor Finish: Metal

Motor Finish: Iron + Copper (172*145*14 mm)

ENERGY INFORMATION

Airflow (CFM) when operated at high speed: 4857

Airflow (CFM): 3410

RPM (High): 300



ADDITIONAL INFORMATION

Blades: Iron Blades

Blade Pitch: 6.5°

Installation: Down Rod Only

Down Rod: 1/2"*10.25"

Max Ceiling Angle: 18°

Lead Wire: 20"

Reverse Airflow: No

LIGHT SOURCE

Light Bulb Usage: No Bulb

Capacitor: 4UF/300V

Control: Wall Control

CULLMAN



AVAILABLE OPTIONS:	
HW-F-47-SN-SN	Satin, Nickel
HW-F-47-SN-LW	Light Wood
SPECIFICATIONS	
Size:	52"
Lamp Shade:	Glass
Motor:	DC motor with reversal function 110V/240V 50hz/60hz



ADDITIONAL INFORMATION	
Blades:	ABS
Reverse Airflow:	Yes
LIGHT SOURCE	
Source:	LED 20W
Control:	Remote Control Included
Switch Housing Cap:	Included

FLORENCE



AVAILABLE OPTIONS:	
HW-F-50-DW	Matt Black Finish
SPECIFICATIONS	
Size:	52"
Lamp Shade:	Glass
Motor:	DC motor with reversal function 110V/240V



ADDITIONAL INFORMATION	
Blades:	3 Solid wood
Reverse Airflow:	Yes
LIGHT SOURCE	
Source:	LED 15W
Control:	Remote Control Included
Switch Housing Cap:	Included

DULUTH



AVAILABLE OPTIONS:

HW-F-51-SN Satin, Nikel

SPECIFICATIONS

Size: 52"
 Lamp Shade: Glass
 Motor: Dc motor 110V/240V



ADDITIONAL INFORMATION

Blades: Plywood Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W
 Control: Remote Control Included
 Switch Housing Cap: Included

OXFORD



AVAILABLE OPTIONS:

HW-F-52-BK Matt Black
 HW-F-52-BK White

SPECIFICATIONS

Size: 36"
 Lamp Shade: Glass
 Motor: DC motor 153*15 mm



ADDITIONAL INFORMATION

Blades: ABS Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W
 Control: Remote Control Included
 Switch Housing Cap: Included

BUTLER



AVAILABLE OPTIONS:	
HW-F-53-WH	Matt white

SPECIFICATIONS	
Size:	52"
Lamp Shade:	Glass
Motor:	DC motor 153*12mm with reversal function 110V/240V 50hz/60hz



ADDITIONAL INFORMATION	
Blades:	Plywood Blades
Reverse Airflow:	Yes

LIGHT SOURCE	
Light Source:	LED 15W
Control:	Remote Control Included
Switch Housing Cap:	Included

ANNISTON



AVAILABLE OPTIONS:	
HW-F-54-SN	Satin Nickel
HW-F-54-WH	White

SPECIFICATIONS	
Size:	52"
Lamp Shade:	Glass
Motor:	DC motor 110V/ 240V 50hz/60hz



ADDITIONAL INFORMATION	
Blades:	ABS Blades
Reverse Airflow:	Yes

LIGHT SOURCE	
Source:	LED 15W
Control:	Remote Control Included
Switch Housing Cap:	Included

ZANE



AVAILABLE OPTIONS:

HW-F-58-PK Pink

SPECIFICATIONS

Size: 35"
 Lamp Shade: Glass
 Motor: DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Plywood Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 12W
 Control: Remote Control Included
 Switch Housing Cap: Included

BELLEFONTE



AVAILABLE OPTIONS:

HW-F-62-BK Matt Black

SPECIFICATIONS:

Size: 52"
 Lamp Shade: Glass
 Motor: DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: ABS Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W
 Control: Remote Control Included
 Switch Housing Cap: Included

KIP



AVAILABLE OPTIONS:

HW-F-67-BK Black

SPECIFICATIONS

Size: 42"

Lamp Shade: Glass

Motor: DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Solid wood Blades

Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W

Control: Remote Control Included

Switch Housing Cap: Included

THORNE



AVAILABLE OPTIONS:

HW-F-69-BK Matt Black

SPECIFICATIONS

Size: 52"

Lamp Shade: Glass

Motor: DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: ABS Blades

Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W

Control: Remote Control Included

Switch Housing Cap: Included

KORA



AVAILABLE OPTIONS:

HW-F-70-BK Matt Black

SPECIFICATIONS

Size: 52"
 Lamp Shape: Glass
 Motor: DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Solid Wood Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W
 Control: Remote Control Included
 Switch Housing Cap: Included

ELLE



AVAILABLE OPTIONS:

HW-F-71-SN-WH White

HW-F-71-SN-LW Light Wood

SPECIFICATIONS

Size: 52"
 Lamp Shade: Glass
 Motor: DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Plywood Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W
 Control: Remote Control Included
 Switch Housing Cap: Included

JUNA



AVAILABLE OPTIONS:

HW-F-72-BK Black

SPECIFICATIONS

Size: 26"

Lamp Shape: Glass

Motor: DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Plywood Blades

Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 45W

Control: Remote Control Included

Switch Housing Cap: Included

VENTUS



AVAILABLE OPTIONS:

HW-F-76-SN Satin Nickel

SPECIFICATIONS

Size: 52"

Lamp Shade: Glass

Motor: DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Plywood Blades

Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W

Control: Remote Control Included

Switch Housing Cap: Included

ANDREA



AVAILABLE OPTIONS:

HW-F-82-WH Matt White

SPECIFICATIONS

Size: 52"
 Lamp Shade: Glass
 Motor: DC motor 153*12 mm 120V-240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Solid wood Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 12W
 Control: Remote Control Included
 Switch Housing Cap: Included

NOCTUA



AVAILABLE OPTIONS:

HW-F-83-BK Matt Black

SPECIFICATIONS

Size: 52"
 Lamp Shade: Glass
 Motor: DC motor 110V-240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: ABS Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W
 Control: Remote Control Included
 Switch Housing Cap: Included

TIBER



AVAILABLE OPTIONS:

HW-F-84-WH Matt White

SPECIFICATIONS

Size: 52"

Lamp Shape: Glass

Motor: DC motor 153* 12mm 120V/ 240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Plywood Blades

Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W

Control: Remote Control Included

Switch Housing Cap: Included

CAELIA



AVAILABLE OPTION S:

HW-F-85-SN Satin Nickel

SPECIFICATIONS

Size: 52"

Lamp Shape: Glass

Motor: DC motor 153* 12mm 120V/ 240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: ABS Blades

Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 20W

Control: Remote Control Included

Switch Housing Cap: Included

LUXOR



AVAILABLE OPTIONS:

HW-F-87-BK Black

SPECIFICATIONS

Size: 52"
 Lamp Shade: Glass
 Motor: DC motor 153* 15mm110V/240V



ADDITIONAL INFORMATION

Blades: ABS Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W
 Control: Remote Control Included
 Switch Housing Cap: Included

ASTREA



AVAILABLE OPTIONS:

HW-F-88-SN Satin,Nickel

SPECIFICATIONS

Size: 52"
 Lamp Shade: Glass
 Motor: DC motor 153* 15mm 110V/240V



ADDITIONAL INFORMATION

Blades: Plywood Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Light Bulb: E27 X2
 Control: Remote Control Included
 Switch Housing Cap: Included

SIENA



AVAILABLE OPTIONS:

HW-F-93-WH Matt White

SPECIFICATIONS

Size: 52"

Lamp Shade: Acrylic

Motor: DC motor 153*15mm 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Solid Wood Blades

Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W

Control: Remote Control Included

Switch Housing Cap: Included

AREZZO



AVAILABLE OPTIONS:

HW-F-94-WH Matt White

SPECIFICATION

Size: 52"

Lamp Shade: Glass

Motor: DC motor 153*15mm 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Solid Wood Blades

Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W

Control: Remote Control Included

Switch Housing Cap: Included

CUSCO



AVAILABLE OPTIONS:

HW-F-95-SN Satin, Nickel

SPECIFICATIONS

Size: 52"
 Lamp Shade: Glass
 Motor: DC motor 153*15mm 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: Solid Wood Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 15W
 Control: Remote Control Included
 Switch Housing Cap: Included

GIZA



AVAILABLE OPTIONS:

HW-F-96-WH White

SPECIFICATIONS

Size: 42"
 Lamp Shade: Acrylic
 Motor: DC motor 153* 15mm 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades: PC Blades
 Reverse Airflow: Yes

LIGHT SOURCE

Source: LED 36W
 Control: Remote Control Included
 Switch Housing Cap: Included

PERUGIA



AVAILABLE OPTIONS:

HW-F98-WH Matt White

SPECIFICATIONS

Size: 52"
 Lamp Shade: Acrylic White
 Motor: DC motor 153*12mm 40W 120V/240V 50hz/60hz
 Airflow (CFM): 6300
 RPM (High): 180



ADDITIONAL INFORMATION

Blades: ABS Blades

LIGHT SOURCE

Source: LED 12W 2700K/3500K/6000K
 Control: Remote Control Included
 Switch Housing Cap: Included

VALETTA



AVAILABLE OPTIONS:

HW-F-99-WD Wood Grain

SPECIFICATIONS

Size: 52"
 Lamp Shade: Acrylic
 Airflow (CFM): 7000
 RPM (High): 160



ADDITIONAL INFORMATION

Blades: ABS Blades

LIGHT SOURCE

Source: LED 18W 2700K/3500K/6000K
 Control: Remote Control Included
 Switch Housing Cap: Included

KYOTO



AVAILABLE OPTIONS:

HW-F-101-BK	Matt Black
HW-F-101-BR	Matt Brown

SPECIFICATIONS

Size:	52"
Lamp Shade:	Acrylic White
Motor:	DC motor 153*16 40W 120V-240V 50hz/60hz



ADDITIONAL INFORMATION

Blades:	ABS Blades
---------	------------

LIGHT SOURCE

Source:	LED 18W	3000K/4200K/6200K
Control:	Remote Control Included	

LUXIA



AVAILABLE OPTIONS:

HW-F-104-BK-DW	Dark Wood
HW-F-104-SL-WH	Silver

SPECIFICATIONS

Size:	52"
Lamp Shade:	Acrylic
Motor:	DC motor 110V/240V 50hz/60hz



ADDITIONAL INFORMATION

Blades:	ABS Blades
Reverse Airflow:	Yes

LIGHT SOURCE

Source:	LED 18W	3000K/4200K/6000K
Control:	Remote Control Included	
Switch Housing Cap:	Included	

BRISA



AVAILABLE OPTIONS:

HW-F-107-WH	White
HW-F-107-COF	Coffee

SPECIFICATIONS

Size:	48"
Wattage:	36W



ADDITIONAL INFORMATION

Blades:	PC Blades
---------	-----------

LIGHT SOURCE

Source:	LED 36 W 3000K/4200K/6000K
Control:	Remote Control Included

UFO



AVAILABLE OPTIONS:

HW-F-108-W-LW	Light Wood
H-F-108-W-DW	Dark Wood
H-F-108-WH	White

SPECIFICATIONS

Wattage:	44W
Motor:	DC 15W 110-240V/50-60hz
Motor Size:	D 510"H 170mm



ADDITIONAL INFORMATION

Blades:	ABS Blades
---------	------------

LIGHT SOURCE

Source:	CCT 3000K/4000K/6000K
Switch Housing Cap:	Included
Control:	Remote Control Included

AUSTIN



AVAILABLE OPTIONS:	
HW-F-109-BK	Black
HW-F-109-WH	White

SPECIFICATIONS	
Wattage:	36W
Motor:	DC 15W 110V/240V 50hz/60hz
Motor Size:	D 510*H 170mm



ADDITIONAL INFORMATION	
Blades:	ABS Blades

LIGHT SOURCE	
Source:	LED 36 W 3000K/4200K/6000K
Control:	Remote Control Included
Switch Housing Cap:	Included

Honeywell

DISCOVER OUR NEW COLLECTION OF CEILING FANS WHERE ELEGANCE MERGES WITH FUNCTIONALITY.

www.HoneywellLights-fans.com

ilumitec.
INTERNATIONAL



Honeywell

EXHIBITORS

THIS HONEYWELL DISPLAY UNIT WILL COMPLETELY ENHANCE AND STYLIZE YOUR STOREFRONT WHILE OFFERING A WIDE RANGE OF PRODUCTS.